SS-WHS-SAF-000



COMPANY DETAILS								
Name: XXX	ABN: XXX		Address: XXX					
Name. Adn. Adn.				Address. AAA				
TASK NAME / ACTIVITY	HDPE Butt Fusi	on use						
SITE / PROJECT NAME	XXX							
APPLICABLE LEGISLATION, C	ODES OF PR	ACTICE OR	OTHER GL	JIDANCE MA	TERIAL			
WHS Act and Regulations				and safety risks		Construction	n work C	CoP
Construction Work CoP			e Workplace Co					Risks in the Workplace CoP
Hazardous Manual Tasks CoP		How to Manag	ge WHS Risks	CoP				ocial Hazards at Work CoP
Managing Noise and Preventing Hearing CoP	g Loss at Work	Managing the	Risks of Resp	irable Crystalline	Silica CoP	Work Health and Coordin		afety Consultation, Cooperation
PERSONAL PROTECTIVE EQU	JIPMENT							
☐ Hard Hat ☐ I	High Vis Clothing	$\boxtimes$	Safety Glass	ses	es   Respiratory Protect		ion	☐ Face Shield
	Safety Gloves	$\boxtimes$	Hearing Prof	tection	ction			☐ Other:
REQUIRED LICENCES, CERTIFICATES OR COMPETENCIES								
		OMPETEN	CIES					
General Construction Induction (white c		COMPETENC	CIES	Site Induction				
		COMPETENC	CIES	Site Induction Task Specific C	Qualification 2	2		
General Construction Induction (white contract Construction Induction 1	ard)	COMPETENC	CIES		Qualification 2	2		
General Construction Induction (white contract Construction 1  HIGH RISK CONSTRUCTION W	ard) VORK			Task Specific C				
General Construction Induction (white contract Construction 1  HIGH RISK CONSTRUCTION With Risk of a person falling more than	VORK	n a telecommur		Task Specific C	Qualification 2			kely to involve disturbing asbestos
General Construction Induction (white contracts Specific Qualification 1  HIGH RISK CONSTRUCTION With Risk of a person falling more than metres	ard) VORK			Task Specific C	n of load-bea	ring	_ Li	kely to involve disturbing asbestos
General Construction Induction (white contacts and induction for the contact and induction (white contact and induction (wh	VORK  1 2		nication	Demolition structure Work in or deeper that	n of load-bea near a shaft an 1.5m or a	ring or trench tunnel	□ U:	se of explosives
General Construction Induction (white contracts Specific Qualification 1  HIGH RISK CONSTRUCTION With the contract of the cont	VORK  1 2	n a telecommur	nication fined space or liquid that	Demolition structure Work in or deeper that	n of load-bea	ring or trench tunnel ised	U:	se of explosives
General Construction Induction (white contracts Specific Qualification 1  HIGH RISK CONSTRUCTION With the contract of the cont	VORK  1 2	n a telecommur n or near a confi n or near water o s a risk of drown	nication fined space or liquid that	Demolition structure Work in or deeper that Work on o electrical i	n of load-bear near a shaft an 1.5m or a or near energi nstallations on a area with m	ring or trench tunnel ised or services	Us	se of explosives /ork that may have a contaminated flammable atmosphere /ork in areas with artificial
General Construction Induction (white contracts Specific Qualification 1  HIGH RISK CONSTRUCTION With Risk of a person falling more than metres  Work on or near pressurised gas mains or piping  Temporary load-bearing support for structural alterations or repairs	VORK  1 2	n a telecommur n or near a confi n or near water s a risk of drow work	nication ined space or liquid that rning	Demolition structure Work in or deeper that Work on or electrical i	n of load-bear near a shaft an 1.5m or a or near energi nstallations on a area with m	ring or trench tunnel ised or services overment of	Use Word or West	se of explosives /ork that may have a contaminated flammable atmosphere
General Construction Induction (white contract Construction Induction Induction (white contract Construction Induction I	WORK  1 2	n a telecommur n or near a confi n or near water s a risk of drow work	nication ined space or liquid that rning	Demolition structure Work in or deeper that Work on or electrical i	n of load-bear near a shaft an 1.5m or a or near energi nstallations on a area with m	ring or trench tunnel ised or services overment of	Use Word or West	se of explosives  fork that may have a contaminated flammable atmosphere  fork in areas with artificial ktremes of temperature
General Construction Induction (white contract Construction Induction Induction (white contract Construction Induction Induction (white contract Construction Induction Induction Induction (white contract Construction Induction Induction (white contract Construction Induction (white contracts Construction Induction Indu	WORK  1 2	n a telecommur n or near a confi n or near water s a risk of drow work	nication ined space or liquid that rning	Demolition structure Work in or deeper that Work on or electrical i	n of load-bear near a shaft an 1.5m or a or near energi nstallations on a area with m	ring or trench tunnel ised or services overment of	Use Word or West	se of explosives  fork that may have a contaminated flammable atmosphere  fork in areas with artificial ktremes of temperature

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
Accessing site and starting work	Traffic hazards	High	Signage, flagging or delineation of work zone.	Moderate	All workers
			Workers to be aware of traffic hazards.		
	Contact with services	High	Maintain exclusion zones around powerlines.	Moderate	All workers
			Use spotters if necessary.		
			DBYD and ensure underground services are protected prior to excavation.		
	Slips, trips and falls	High	Good housekeeping.	Moderate	All workers
			Wear non-slips shoes.		
			Pay attention when walking.		
	Sunburn / dehydration	Moderate	Sun protection (broadbrimmed hard hat, sunscreen, long-sleeve clothing).	Low	All workers
			Drink plenty of water.		
			Avoid excessive caffeine.		
	Electrical hazards	High	Testing and tagging of electrical equipment.	Low	All workers
			Run leads in a safe manner.		
			Inspect electrical equipment before use.		
			RCDs in use.		
	Noise hazards	Moderate	Hearing protection to be worn if noise levels over 85dBA.	Low	All workers
			Ensure loud plant or equipment is positioned away from workers, if possible.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
	Chemical hazards	Moderate	Up to date SDS register available for all	Low	All workers
			hazardous substances.		
			All safety controls in place as per SDS.		
			All spills to be reported to supervisor.		
			Refer to SDS for chemical properties and storage/handling procedures.		
	Flying debris	Moderate	Safety glasses (double eye protection when welding / grinding).	Low	All workers
			Exclusion zones around hazardous work.		
	Silica exposure	Moderate	Ensure areas are wet down to reduce dust.	Low	All workers
			Ensure dust extraction is used on equipment (if fitted).		
			Wear appropriate respiratory PPE if dust levels cannot be controlled.		
	Manual handling injuries	Moderate	All personnel must be Inducted.	Low	All workers
			Adopt good posture and manual handling techniques.		
			Use of mechanical devices		
			Team lifting.		
Conducting HDPE	Plant or equipment malfunction	Moderate	Ensure pre-start checks are completed.	Low	All workers
butt fusion work			Ensure all guarding is in place and fit for purpose.		
			Report any faults to supervisor.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
	Worker not competent with plant / equipment.	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
	Eye injuries	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
			Ensure all safety glasses are worn.		
			Ensure all guarding is in place.		
	Hand injuries	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
			Ensure all guarding is in place.		
	Injuries from HDPE buft Fusion use	Moderate	Wear PPE.	Low	All workers
			Check the butt fusion machine for proper condition and calibration.		
			Use compatible HDPE pipes and fittings for the job.		
			Clean pipe ends of dirt and grease.		
			Align pipes with clamps for even fusion.		
			Set temperature and pressure according to guidelines.		
			Heat pipe ends evenly with the heating element.		
			Join pipes quickly after removing the heating element, applying pressure.		
			Allow joint to cool with pressure applied until stable.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
			Inspect the joint for uniformity and defects.		
			Keep the work area clean to avoid contamination.		
			Ensure only trained personnel perform the fusion.		
			Follow all manufacturer instructions and recommendations.		
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
Completing task / pack up	Equipment damaged during shift	Moderate	Report damaged equipment to supervisor and tag it out.	Low	All workers
	Site security / unauthorised entry	Moderate	Ensure gates / fences are secured prior to leaving site.	Low	All workers
	Slips, trips, and falls	High	Ensure tools and equipment are stored appropriately.	Moderate	All workers
			Place all rubbish in a bin.		
	Hazardous substances and flammables	Moderate	Ensure hazardous substances and flammables are stored appropriately.	Low	All workers

SS-WHS-SAF-000



		Consequences						
	Risk Matrix		Minor injuries / first aid		Severe (4) Serious injuries / hospitalisation	Catastrophic (5) Death / permanent impairment		
	Certain (5) 100% likely / almost 100% likely	Moderate (5)	High (10)	High (15)	Catastrophic (20)	Catastrophic (25)		
	<b>Likely (4)</b> Will probably happen / is likely to happen	Moderate (4)	Moderate (8)	High (12)	Catastrophic (16)	Catastrophic (20)		
Likelihood	Possible (3) Could happen or plausible	Low (3)	Moderate (6)	Moderate (9)	High (12)	High (15)		
	Unlikely (2) Improbable but could happen / not expected	Low (2)	Moderate (4)	Moderate (6)	Moderate (8)	High (10)		
	Very Unlikely (1) Rare / not expected but remotely possible	Low (1)	Low (2)	Low (3)	Moderate (4)	Moderate (5)		

SS-WHS-SAF-000



WORKER SIGNOFF			
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature: