SS-WHS-SAF-000



COMPANY DETAILS								
Name: XXX	ΔΒΙ	N: XXX		Address: XXX				
Name. Add		ADI	IV. XXX		Addicss. A			
TASK NAME / ACTIVITY	Rattle Gun Use							
SITE / PROJECT NAME	XXX							
APPLICABLE LEGISLATION, C	ODES OF PR	ACTICE OR	OTHER GU	IIDANCE MAT	TERIAL			
WHS Act and Regulations				and safety risks	CoP	Construction		= -
Construction Work CoP		First Aid in the						Risks in the Workplace CoP
Hazardous Manual Tasks CoP		How to Manag						cial Hazards at Work CoP
Managing the Risks of Respirable Cryst	alline Silica CoP	Managing Nois	se and Preven	ting Hearing Los	s at Work	WHS Consu CoP	Itation, C	Cooperation and Coordination
PERSONAL PROTECTIVE EQU	JIPMENT							
☐ Hard Hat ☐ I	High Vis Clothing		Safety Glass	ses	□ Respiratory Protection		on	☐ Face Shield
Safety Boots	Safety Gloves		Hearing Prof	tection	□ Other:			☐ Other:
REQUIRED LICENCES, CERTII	FICATES OR C	OMPETENC	CIES					
	ard)		General Construction Induction (white card) Site Induction					
Task Specific Qualification 1 Task Specific Qualification 2								
rask opcomo Quannoation i					ualification 2			
,					ualification 2			
HIGH RISK CONSTRUCTION W				Task Specific C				
HIGH RISK CONSTRUCTION W	n 2	n a telecommur	nication	Task Specific C	Qualification 2		□ Lik	kely to involve disturbing asbestos
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres		n a telecommur	nication	Task Specific C	า of load-beaเ	ring	□ Lik	kely to involve disturbing asbestos
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres Work on or near pressurised gas mains or piping	Work o tower ☐ Work ir	n a telecommur ı or near a confi		Demolition structure Work in or deeper that	n of load-bear near a shaft an 1.5m or a	ring or trench tunnel	□ Us	se of explosives
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres Work on or near pressurised gas	D 2 ☐ Work o tower ☐ Work ir		ined space	Demolition structure Work in or deeper that	n of load-bear	or trench tunnel sed	☐ Us	
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres Work on or near pressurised gas mains or piping Temporary load-bearing support f	D 2 ☐ Work of tower ☐ Work in involve	or near a confi or near water o s a risk of drowr	ined space	Demolition structure Work in or deeper that Work on o electrical in Work in ar	n of load-bear near a shaft an 1.5m or a r near energi nstallations on a area with m	or trench tunnel sed or services	Us Woor Wo	se of explosives ork that may have a contaminated flammable atmosphere ork in areas with artificial
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres Work on or near pressurised gas mains or piping Temporary load-bearing support f structural alterations or repairs	Work of tower Work in Work in involve Diving	or near a confi or near water o s a risk of drown work	ined space or liquid that ning	Demolition structure Work in or deeper that Work on o electrical in powered in	n of load-bear near a shaft an 1.5m or a r near energi nstallations on a area with m	or trench tunnel sed or services ovement of	Us or wo	se of explosives ork that may have a contaminated flammable atmosphere
HIGH RISK CONSTRUCTION Was Risk of a person falling more than metres Work on or near pressurised gas mains or piping Temporary load-bearing support f structural alterations or repairs Tilt-up or precast concrete elements work on or near chemical, fuel or refrigerant lines	Work of tower Work ir involve Diving	or near a confi or near water o s a risk of drown work	ined space or liquid that ning	Demolition structure Work in or deeper that Work on o electrical in powered in	n of load-bear near a shaft an 1.5m or a r near energi nstallations on a area with m	or trench tunnel sed or services ovement of	Us or wo	se of explosives ork that may have a contaminated flammable atmosphere ork in areas with artificial tremes of temperature
HIGH RISK CONSTRUCTION W Risk of a person falling more than metres Work on or near pressurised gas mains or piping Temporary load-bearing support f structural alterations or repairs Tilt-up or precast concrete elements Work on or near chemical, fuel or	Work o tower Work in tower Work in work in involve Diving work o	or near a confi or near water o s a risk of drown work n, in or adjacen	ined space or liquid that ning t to a road, rail	Demolition structure Work in or deeper that Work on o electrical in work in ar powered n	n of load-bear near a shaft an 1.5m or a r near energi nstallations on a area with m nobile plant ne or other tra	or trench tunnel sed or services ovement of	Us or wo	se of explosives ork that may have a contaminated flammable atmosphere ork in areas with artificial tremes of temperature

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
Accessing site and starting work	Traffic hazards	High	Signage, flagging or delineation of work zone.	Moderate	All workers
			Workers to be aware of traffic hazards.		
	Contact with services	High	Maintain exclusion zones around powerlines.	Moderate	All workers
			Use spotters if necessary.		
			DBYD and ensure underground services are protected prior to excavation.		
	Slips, trips and falls	High	Good housekeeping.	Moderate	All workers
			Wear non-slips shoes.		
			Pay attention when walking.		
	Sunburn / dehydration	Moderate Sun protection (broadbrimmed hard hat, sunscreen, long-sleeve clothing).		Low	All workers
			Drink plenty of water.		
			Avoid excessive caffeine.		
	Electrical hazards High		Testing and tagging of electrical equipment.	Low	All workers
			Run leads in a safe manner.		
			Inspect electrical equipment before use.		
			RCDs in use.		
	Noise hazards	Moderate	Hearing protection to be worn if noise levels over 85dBA.	Low	All workers
			Ensure loud plant or equipment is positioned away from workers, if possible.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
	Chemical hazards	Moderate	Up to date SDS register available for all hazardous substances.	Low	All workers
			All safety controls in place as per SDS.		
			All spills to be reported to supervisor.		
			Refer to SDS for chemical properties and storage/handling procedures.		
	Flying debris	Moderate	Safety glasses (double eye protection when welding / grinding).	Low	All workers
			Exclusion zones around hazardous work.		
	Silica exposure	Moderate	Ensure areas are wet down to reduce dust.	Low	All workers
			Ensure dust extraction is used on equipment (if fitted).		
			Wear appropriate respiratory PPE if dust levels cannot be controlled.		
	Manual handling injuries	Moderate	All personnel must be Inducted.	Low	All workers
			Adopt good posture and manual handling techniques.		
			Use of mechanical devices.		
			Team lifting.		
Conducting rattle gun work	Plant or equipment malfunction	Moderate	Ensure pre-start checks are completed.	Low	All workers
			Ensure all guarding is in place and fit for purpose.		
			Report any faults to supervisor.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
	Worker not competent with plant / equipment.	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
	Eye injuries	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
			Ensure all safety glasses are worn.		
			Ensure all guarding is in place.		
	Hand injuries	Moderate	Only competent and authorised personnel to complete this task.	Low	All workers
			Ensure all guarding is in place.		
	Injuries from rattle gun use	Moderate	Wear PPE.	Low	All workers
			Inspect the rattle gun for damage and ensure it is properly connected to the air supply.		
			Use the correct size and type of sockets for the job.		
			Keep hands and fingers clear of the rotating parts.		
			Maintain a firm grip and stable stance when operating the tool.		
			Use the rattle gun only for its intended purpose and within its operating limits.		
			Ensure the air pressure is set according to the manufacturer's specifications.		
			Keep the tool and work area clean and free of debris.		

SS-WHS-SAF-000



JOB / TASK STEP	HAZARDS / RISKS	RISK (I)	CONTROL MEASURES	RISK (R)	RESPONSIBILITY
			Disconnect the air supply before changing sockets or performing maintenance.		
			Regularly inspect and maintain the tool according to manufacturer guidelines.		
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
	Add task specific hazards here	XXX	Add task specific controls here	XXX	All workers
Completing task / pack up	Equipment damaged during shift	Moderate	Report damaged equipment to supervisor and tag it out.	Low	All workers
	Site security / unauthorised entry	Moderate	Ensure gates / fences are secured prior to leaving site.	Low	All workers
	Slips, trips, and falls	High	Ensure tools and equipment are stored appropriately.	Moderate	All workers
			Place all rubbish in a bin.		
	Hazardous substances and flammables	Moderate	Ensure hazardous substances and flammables are stored appropriately.	Low	All workers

SS-WHS-SAF-000



		Consequences						
	Rick Matrix		Minor (2) Minor injuries / first aid	Significant (3) Moderate injuries / medical treatment	Severe (4) Serious injuries / hospitalisation	Catastrophic (5) Death / permanent impairment		
	Certain (5) 100% likely / almost 100% likely	Moderate (5)	High (10)	High (15)	Catastrophic (20)	Catastrophic (25)		
	Likely (4) Will probably happen / is likely to happen	Moderate (4)	Moderate (8)	High (12)	Catastrophic (16)	Catastrophic (20)		
Likelihood	Possible (3) Could happen or plausible	Low (3)	Moderate (6)	Moderate (9)	High (12)	High (15)		
	Unlikely (2) Improbable but could happen / not expected	Low (2)	Moderate (4)	Moderate (6)	Moderate (8)	High (10)		
	Very Unlikely (1) Rare / not expected but remotely possible	Low (1)	Low (2)	Low (3)	Moderate (4)	Moderate (5)		

SS-WHS-SAF-000



WORKER SIGNOFF			
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature:
Name:	Signature:	Name:	Signature: